

Monitoring Report SD-6: Safety System Management & Nuclear Oversight Committee February 14, 2023

Kevin McCormick

VP Safety & Facilities

SD-6: Safety

- Through continuous improvement and monitoring, OPPD shall be recognized as a leader in employee safety and ensure the safety of the public in relation to OPPD operations. The Board establishes a long-term goal to continue to improve safety results that:
 - Reduce OPPD's DART rate to < .50, as measured by the industry's performance metric DART.
 - Reduce OPPD's PVIR rate to < 4.00, as measured by the industry's performance metric PVR.



SD-6: Safety

Terms and Definitions

- Days Away Restricted or Transferred (DART): The rate is calculated by multiplying the number of DART cases times 200,000 divided by the hours worked.
- Preventable Vehicle Incident Rate (PVIR): The rate is calculated by multiplying the number of PVIR cases times 1,000,000 divided by the miles driven.




Through continuous improvement and monitoring, OPPD shall be recognized as a leader in employee safety and ensure the safety of the public in relation to OPPD operations.

Recognition:

- American Public Power Association
 - Safety Award of Excellence
- National Safety Council of Nebraska
 - Nebraska's Safest Companies




Reduce OPPD's DART rate to < .50, as measured by the industry's performance metric DART.





Reduce OPPD's PVIR to < 4.00, as measured by the industry's performance metric PVIR.





Recommendation

• The System Management & Nuclear Oversight Committee has reviewed and accepted this Monitoring Report for SD-6 and recommends that the Board find OPPD to be sufficiently in compliance with Board Policy SD-6.



Any additional reflections on

what has been accomplished ... or

challenges or gaps



